


**IN THE CLAIMS:**

Amend the claims as follows.

Claims 1-102 (Canceled).

103. (Previously Presented) A compound of Formula I:



wherein:

$R^1$  is -Cl, -Br, -I,  $-OSO_2CH_3$ , or  $-OSO_2Ph$ ;

$R^2$  is -Cl, -Br, -I,  $-OSO_2CH_3$ , or  $-OSO_2Ph$ ;

wherein Ph denotes a phenyl group which is optionally substituted with 1, 2, 3, 4 or 5 substituents independently selected from a  $C_{1-4}$  alkyl group, -F, -Cl, -Br, -I, -CN, or  $-NO_2$ ;

$R^{1a}$  is -H, a  $C_{1-4}$  alkyl group, or a  $C_{1-4}$  haloalkyl group;

$R^{2a}$  is -H, a  $C_{1-4}$  alkyl group, or a  $C_{1-4}$  haloalkyl group;

$R^{1b}$  is -H, a  $C_{1-4}$  alkyl group, or a  $C_{1-4}$  haloalkyl group;

$R^{2b}$  is -H, a  $C_{1-4}$  alkyl group, or a  $C_{1-4}$  haloalkyl group;

$R^3$  is -F;

$R^4$  is -F;

$R^5$  is -H;

R<sup>7</sup> is -H, -C(CH<sub>3</sub>)<sub>3</sub>, or -CH<sub>2</sub>-CH=CH<sub>2</sub>;

Z is -CH<sub>2</sub>-T-W;

T is -CH<sub>2</sub>-, -O-, -S-, -(S=O)-, or -(SO<sub>2</sub>)-;

wherein the group -CH<sub>2</sub>-T- may optionally be substituted with 1 or 2 substituents, denoted Q<sup>1</sup> and Q<sup>2</sup> respectively, on carbon, wherein Q<sup>1</sup> and Q<sup>2</sup> are independently a C<sub>1-4</sub>alkyl group or a halogen; or, when Q<sup>1</sup> and Q<sup>2</sup> are bonded to adjacent carbon atoms, Q<sup>1</sup> and Q<sup>2</sup> together may form a C<sub>3-4</sub>alkylene radical optionally substituted with 1, 2, 3 or 4 substituents independently selected from C<sub>1-4</sub>alkyl groups and halogens;

W is one of:

- (1) -COOH;
- (2) -(C=O)OR<sup>8</sup>;
- (3) -(C=O)NR<sup>9</sup>R<sup>9</sup>;
- (4) -SO<sub>2</sub>NHR<sup>10</sup>;
- (5) -SO<sub>2</sub>OR<sup>11</sup>;
- (6) -PO<sub>3</sub>R<sup>11</sup>R<sup>11</sup>;
- (7) -CONH-SO<sub>2</sub>R<sup>12</sup>;

with the proviso that if T is -O-, -S-, -(S=O)-, or -(SO<sub>2</sub>)-, then W is not -COOH;

wherein:

R<sup>8</sup> is a C<sub>1-6</sub>alkyl group, a C<sub>3-6</sub>cycloalkyl group, or -CH<sub>2</sub>-CH=CH<sub>2</sub>;

R<sup>9</sup> is independently -H, a C<sub>1-6</sub>alkyl group, a C<sub>3-6</sub>cycloalkyl group, and wherein the C<sub>3-6</sub>cycloalkyl group may optionally carry a methyl group;

$R^{10}$  is a  $C_{1-6}$ alkyl group,  $-CH_2-CH=CH_2$ , a  $C_{3-6}$ cycloalkyl group, or a

$C_{1-4}$ haloalkyl group;

and wherein the  $C_{3-6}$ cycloalkyl group may optionally carry a methyl group;

$R^{11}$  represents  $-H$ , a  $C_{1-6}$ alkyl group, or a  $C_{3-6}$ cycloalkyl group;

$R^{12}$  is one of:

(a) a  $C_{3-7}$ cycloalkyl group;

(b) a  $C_{1-6}$ alkyl group, optionally substituted with one or more of: a phenyl group; a phenyl group with from 1 to 5 substituents selected from halogen,  $-NO_2$ ,  $-CF_3$ ,  $C_{1-4}$ alkyl,  $C_{1-4}$ alkoxy,  $-NH_2$ ,  $-NHCOPH_3$ ,  $-CONH_2$ ,  $-OCH_2COOH$ ,  $-NH(C_{1-4}alkyl)$ ,  $-N(C_{1-4}alkyl)_2$ ,  $-NHCOOC_{1-4}alkyl$ ,  $-OH$ ,  $-COOH$ ,  $-CN$  and  $-COOC_{1-4}alkyl$ ; a  $C_{1-4}$ alkyl group; a  $C_{1-4}$ haloalkyl group; or a halogen; and,

(c) a  $C_{1-6}$ perfluoroalkyl group.

104. (Previously Presented) A compound according to claim 103, wherein  $R^1$  and  $R^2$  are independently  $-I$ ,  $-Br$ , or  $-Cl$ .

105. (Previously Presented) A compound according to claim 103, wherein  $R^1$  and  $R^2$  are both  $-I$ .

106. (Previously Presented) A compound according to claim 103, wherein  $R^{1a}$ ,  $R^{1b}$ ,  $R^{2a}$ ,  $R^{2b}$  are each independently  $-H$  or  $-CH_3$ .

107. (Previously Presented) A compound according to claim 104, wherein  $R^{1a}$ ,  $R^{1b}$ ,  $R^{2a}$ ,  $R^{2b}$  are each independently -H or -CH<sub>3</sub>.

108. (Previously Presented) A compound according to claim 105, wherein  $R^{1a}$ ,  $R^{1b}$ ,  $R^{2a}$ ,  $R^{2b}$  are each independently -H or -CH<sub>3</sub>.

109. (Previously Presented) A compound according to claim 103, wherein  $R^{1a}$ ,  $R^{1b}$ ,  $R^{2a}$ ,  $R^{2b}$  are all -H.

110. (Previously Presented) A compound according to claim 104, wherein  $R^{1a}$ ,  $R^{1b}$ ,  $R^{2a}$ ,  $R^{2b}$  are all -H.

111. (Previously Presented) A compound according to claim 105, wherein  $R^{1a}$ ,  $R^{1b}$ ,  $R^{2a}$ ,  $R^{2b}$  are all -H.

112. (Previously Presented) A compound according to claim 103, wherein Z is -CH<sub>2</sub>-T-C(=O)OH or -CH<sub>2</sub>-T-C(=O)OR<sup>8</sup>; and, T is -CH<sub>2</sub>-.

113. (Previously Presented) A compound according to claim 104, wherein Z is -CH<sub>2</sub>-T-C(=O)OH or -CH<sub>2</sub>-T-C(=O)OR<sup>8</sup>; and, T is -CH<sub>2</sub>-.

114. (Previously Presented) A compound according to claim 105, wherein Z is -CH<sub>2</sub>-T-C(=O)OH or -CH<sub>2</sub>-T-C(=O)OR<sup>8</sup>; and, T is -CH<sub>2</sub>-.

115. (Previously Presented) A compound according to claim 106, wherein Z is -CH<sub>2</sub>-T-C(=O)OH or -CH<sub>2</sub>-T-C(=O)OR<sup>8</sup>; and, T is -CH<sub>2</sub>-.

116. (Previously Presented) A compound according to claim 107, wherein Z is -CH<sub>2</sub>-T-C(=O)OH or -CH<sub>2</sub>-T-C(=O)OR<sup>8</sup>; and, T is -CH<sub>2</sub>-.

117. (Previously Presented) A compound according to claim 108, wherein Z is -CH<sub>2</sub>-T-C(=O)OH or -CH<sub>2</sub>-T-C(=O)OR<sup>8</sup>; and, T is -CH<sub>2</sub>-.

118. (Previously Presented) A compound according to claim 109, wherein Z is -CH<sub>2</sub>-T-C(=O)OH or -CH<sub>2</sub>-T-C(=O)OR<sup>8</sup>; and, T is -CH<sub>2</sub>-.

119. (Previously Presented) A compound according to claim 110, wherein Z is -CH<sub>2</sub>-T-C(=O)OH or -CH<sub>2</sub>-T-C(=O)OR<sup>8</sup>; and, T is -CH<sub>2</sub>-.

120. (Previously Presented) A compound according to claim 111, wherein Z is -CH<sub>2</sub>-T-C(=O)OH or -CH<sub>2</sub>-T-C(=O)OR<sup>8</sup>; and, T is -CH<sub>2</sub>-.

121. (Previously Presented) A compound according to claim 103, wherein R<sup>8</sup> is -H, -C(CH<sub>3</sub>)<sub>3</sub>, or -CH<sub>2</sub>-CH=CH<sub>2</sub>.

122. (Previously Presented) A compound according to claim 104, wherein R<sup>8</sup> is -H, -C(CH<sub>3</sub>)<sub>3</sub>, or -CH<sub>2</sub>-CH=CH<sub>2</sub>.

123. (Previously Presented) A compound according to claim 105, wherein R<sup>8</sup> is -H, -C(CH<sub>3</sub>)<sub>3</sub>, or -CH<sub>2</sub>-CH=CH<sub>2</sub>.

124. (Previously Presented) A compound according to claim 106, wherein R<sup>8</sup> is -H, -C(CH<sub>3</sub>)<sub>3</sub>, or -CH<sub>2</sub>-CH=CH<sub>2</sub>.

125. (Previously Presented) A compound according to claim 107, wherein R<sup>8</sup> is -H, -C(CH<sub>3</sub>)<sub>3</sub>, or -CH<sub>2</sub>-CH=CH<sub>2</sub>.

126. (Previously Presented) A compound according to claim 108, wherein R<sup>8</sup> is -H, -C(CH<sub>3</sub>)<sub>3</sub>, or -CH<sub>2</sub>-CH=CH<sub>2</sub>.

127. (Previously Presented) A compound according to claim 109, wherein R<sup>8</sup> is -H, -C(CH<sub>3</sub>)<sub>3</sub>, or -CH<sub>2</sub>-CH=CH<sub>2</sub>.

128. (Previously Presented) A compound according to claim 110, wherein R<sup>8</sup> is -H, -C(CH<sub>3</sub>)<sub>3</sub>, or -CH<sub>2</sub>-CH=CH<sub>2</sub>.

129. (Previously Presented) A compound according to claim 111, wherein R<sup>8</sup> is -H, -C(CH<sub>3</sub>)<sub>3</sub>, or -CH<sub>2</sub>-CH=CH<sub>2</sub>.

130. (Previously Presented) A compound according to claim 112, wherein R<sup>8</sup> is -H, -C(CH<sub>3</sub>)<sub>3</sub>, or -CH<sub>2</sub>-CH=CH<sub>2</sub>.

131. (Previously Presented) A compound according to claim 113, wherein R<sup>8</sup> is -H, -C(CH<sub>3</sub>)<sub>3</sub>, or -CH<sub>2</sub>-CH=CH<sub>2</sub>.

132. (Previously Presented) A compound according to claim 114, wherein R<sup>8</sup> is -H, -C(CH<sub>3</sub>)<sub>3</sub>, or -CH<sub>2</sub>-CH=CH<sub>2</sub>.

133. (Previously Presented) A compound according to claim 115, wherein R<sup>8</sup> is -H, -C(CH<sub>3</sub>)<sub>3</sub>, or -CH<sub>2</sub>-CH=CH<sub>2</sub>.

134. (Previously Presented) A compound according to claim 116, wherein R<sup>8</sup> is -H, -C(CH<sub>3</sub>)<sub>3</sub>, or -CH<sub>2</sub>-CH=CH<sub>2</sub>.

135. (Previously Presented) A compound according to claim 117, wherein R<sup>8</sup> is -H, -C(CH<sub>3</sub>)<sub>3</sub>, or -CH<sub>2</sub>-CH=CH<sub>2</sub>.

136. (Previously Presented) A compound according to claim 118, wherein R<sup>8</sup> is -H, -C(CH<sub>3</sub>)<sub>3</sub>, or -CH<sub>2</sub>-CH=CH<sub>2</sub>.

137. (Previously Presented) A compound according to claim 119, wherein R<sup>8</sup> is -H, -C(CH<sub>3</sub>)<sub>3</sub>, or -CH<sub>2</sub>-CH=CH<sub>2</sub>.

138. (Previously Presented) A compound according to claim 120, wherein R<sup>8</sup> is -H, -C(CH<sub>3</sub>)<sub>3</sub>, or -CH<sub>2</sub>-CH=CH<sub>2</sub>.

139. (Previously Presented) A compound selected from:

{3,5-difluoro-4-[bis(2-iodoethyl)amino]benzoyl}-L-glutamic acid;

{3,5-difluoro-4-[bis(2-chloroethyl)amino]benzoyl}-L-glutamic acid;

{3,5-difluoro-4-[bis(2-bromoethyl)amino]benzoyl}-L-glutamic acid;

{3,5-difluoro-4-[bis(2-bromopropyl)amino] benzoyl}-L-glutamic acid;


and, the di-*tert*-butyl esters thereof.

140. (Previously Presented) A compound selected from:

{3,5-difluoro-4-[bis(2-iodoethyl)amino]benzoyl}-L-glutamic acid;

and, the di-*tert*-butyl ester thereof.

141. (Previously Presented) A compound of Formula II:



wherein:

R<sup>1</sup> is -Cl, -Br, -I, -OSO<sub>2</sub>CH<sub>3</sub>, or -OSO<sub>2</sub>Ph;

$R^2$  is -Cl, -Br, -I, - $OSO_2CH_3$ , or - $OSO_2Ph$ ;

wherein Ph denotes a phenyl group which is optionally substituted with 1, 2, 3, 4 or 5 substituents independently selected from a  $C_{1-4}$  alkyl group, -F, -Cl, -Br, -I, -CN, or - $NO_2$ ;

$R^{1a}$  is -H, a  $C_{1-4}$  alkyl group, or a  $C_{1-4}$  haloalkyl group;

$R^{2a}$  is -H, a  $C_{1-4}$  alkyl group, or a  $C_{1-4}$  haloalkyl group;

$R^{1b}$  is -H, a  $C_{1-4}$  alkyl group, or a  $C_{1-4}$  haloalkyl group;

$R^{2b}$  is -H, a  $C_{1-4}$  alkyl group, or a  $C_{1-4}$  haloalkyl group;

$R^3$  is -F;

$R^4$  is -F; and

$R^5$  is -H.

142. (Previously Presented) A compound according to claim 141, wherein  $R^1$  and  $R^2$  are independently -I, -Br, or -Cl.

143. (Previously Presented) A compound according to claim 141, wherein  $R^1$  and  $R^2$  are both -I.

144. (Previously Presented) A compound according to claim 141, wherein  $R^{1a}$ ,  $R^{1b}$ ,  $R^{2a}$ ,  $R^{2b}$  are each independently -H or - $CH_3$ .

145. (Previously Presented) A compound according to claim 142, wherein  $R^{1a}$ ,  $R^{1b}$ ,  $R^{2a}$ ,  $R^{2b}$  are each independently -H or - $CH_3$ .

146. (Previously Presented) A compound according to claim 143, wherein  $R^{1a}$ ,  $R^{1b}$ ,  $R^{2a}$ ,  $R^{2b}$  are each independently -H or -CH<sub>3</sub>.

147. (Previously Presented) A compound according to claim 141, wherein  $R^{1a}$ ,  $R^{1b}$ ,  $R^{2a}$ ,  $R^{2b}$  are all -H.

148. (Previously Presented) A compound according to claim 142, wherein  $R^{1a}$ ,  $R^{1b}$ ,  $R^{2a}$ ,  $R^{2b}$  are all -H.

149. (Previously Presented) A compound according to claim 143, wherein  $R^{1a}$ ,  $R^{1b}$ ,  $R^{2a}$ ,  $R^{2b}$  are all -H.

150. (Previously Presented) A compound selected from:

3,5-difluoro-4-[bis(2-iodoethyl)amino]benzoic acid;

3,5-difluoro-4-[bis(2-chloroethyl)amino]benzoic acid;

3,5-difluoro-4-[bis(2-bromoethyl)amino]benzoic acid; and

3,5-difluoro-4-[bis(2-bromopropyl)amino]benzoic acid.

151. (Previously Presented) 3,5-difluoro-4-[bis(2-iodoethyl)amino]benzoic acid.

152. (Previously Presented) A composition comprising a compound according to claim 103, and a pharmaceutically acceptable carrier or diluent.

153. (Previously Presented) A composition comprising a compound according to claim 139, and a pharmaceutically acceptable carrier or diluent.

154. (Previously Presented) A composition comprising a compound according to claim 140, and a pharmaceutically acceptable carrier or diluent.

Claims 155-157. (Cancelled)